

THE PROFESSIONAL CHOICE

The Revolutionary Long Lasting Avici technology now in a low profile, bar light form perfect for vertical application.



info@revmicro.com

404/334-9788



The Avici Vertical LP

A low profile, stackable, water-proof, full spectrum LED perfect for racking and vertical applications.



Get The Perfect Light

100w per Bar

Full Spectrum

240 µMole per Bar

The ultimate low profile LED.

REVOLUTION



Long Term Operational Cost

The Avici has the lowest operational cost in the industry.



Po\/r

Electrical Efficiency

World Record Breaking

Qualifies for rebates.

96.7%

More light than an HPS and much higher efficiency.

Diodes that are never overdriven produce less heat.



32 Years Built to Last

Longest Rated Life

32 year part life instead of the standard 5 years.

150,000 hours rated life instead of the standard 55,000.



Highest Rated Life

The Avici Line has the highest rated life of any LED.

Avici V LP	150,000 Hours
Iluminar	55,000 Hours
Fluence SPYDR	50,000 Hours
VividGro	50,000 Hours
Signify North America	25,000 Hours
Gavita CT 1930e	Unpublished*

WE VALUE

Let's Work Together.

With everyone claiming to have the best and most efficient lighting, we've made it easy to compare performance based on certified national lab testing, not brochure claims. Our entire and unedited CSA and FCC reports are on our website.



TRANSPARENCY

Customize your light.

Revolutionize your grow.



Avici Vertical LP

Spectrum		Full Spectrum
PPF		240 per Bar
Max Wattage		100w per Bar
Input Current	0.41A@240	v, 0.36A @ 277v, 0.29A @ 347v, 0.21A @ 480
Input Voltage		240v, 277v, 347v or 480v
Power Factor		0.99 @ 277 volts
Light Source		Osram OSLON LED array
Lifetime		> 150,000 hours
Ingress Rating		IP67
RMH (Recommended Mounted Height Above Canopy)4" to 16"		
Footprint @ 16"		1'6" x 4'
Dimming		External Controller
Dimensions		44 x 5.5 x 2.5 inches (~ 12 lbs)