


PROGRAMMABLE SPECTRUM CHANGES EVERYTHING

Spectrum is the most influential factor in plant development. By adjusting the ratio of colors, cultivators get precision control of their plant's full genetic poetntial.

- Target Terpenes
- Fine Tune Development

Spectrum Controls Growth





Terpene Development

Cannabinoid Content

Color and Aroma

Flavor Profile



LIGHT SPECTRUM AND CHEMICAL EXPRESSION

A plant's chemical composition influences its color, flavor, aroma, and psychoactive effects. The Avici's programmable spectrum gives cultivators the power to fine tune development and unlock the plant's full genetic potential.

Target Chemical Expression

A programmable spectrum gives cultivators the tools to enhance chemical profiles for specific end uses.


Target Development


Strategically adjusting the spectrum can dramatically alter the way a plant looks, smells, and tastes, giving large scale cultivators craft level precision.




EASE OF WORKFLOW

Change seasons at the touch of a button







Finish Spectrum


"Seed to harvest under one light."

Avici's seasonal presets and programmable spectrum area easily customized with Revolution's TouchMi controller for a more streamlined workflow.



ADAPTIVE

FUTURE-PROOF SPECTRUM



Lighting is the most important investment in a cultivation facility; every reaction in the plant is driven by light.

As cultivation science improves, change your spectrum with the push of a button, rather than changing lamps.

Technological Flexibility



LONGEST LASTING

150,000 Hour Rated Life



How Do We Know?

We use OSRAM's diode specifications and NASA's soldering standards to calculate our rated life.



Reliable

The Avici Series has a 150,000 hour life, three times industry standard. Cultivators can trust in the superior reliability of a high rated life.



Higher ROI

Avici stays brighter for longer, growing more cannabis and continuing to pay for itself long after other fixtures need to be replaced.





Easily dimmable for early stages of growth.

185 uMole

C1 uMole/J Efficacy

> Programmable Spectrum with high efficiency options.

Clone Light Features



190 uMole in a uniform 4' x 4'



IP67 Waterproof



Ultra Low Profile for Racking



Programmable Spectrum





Limited Lifetime Warranty



CE Certified



FCC Part 15 B



CSA Certified



RoHS and RoHS2





Spectrum			Prograr	nmable	
PPF		185 uMole/se	c dimmable in 19	% steps	
Max Wattage				60w	
Input Current	0.25A @ 240	, 0.27A @ 277v,	0.17@ 347v, 0.125	@ 480v	
Input Voltage			240v, 277v, 347v	or 480v	
Power Factor			0.99 @ 2	77 volts	
Light Source			Osram OSLON LE	D array	
Rated Life (LM90			> 150,00	0 hours	
Efficacy			3.06 - 3.8 t	ıMole/J	
Operating Temperature				35C	
Fixture Temperature				55C	
Ingress Rating				IP67	
RMH (Recommended Mounted Height A			Canopy)	> 12"	
Footprint @RMH				2' x 4'	
Dimming / Spectrum Control			External Controller		
Dimensions			45 x 2.5 x 2.5 inches (~12 lbs)		

