M6

Mother and Produce Racks LED

PROGRAMMABLE SPECTRUM CHANGES EVERYTHING




PROGRAMMABLE SPECTRUM CHANGES EVERYTHING

Spectrum is the most influential factor in plant development. By adjusting the ratio of colors, cultivators get precision control of their plant's full genetic poetntial.

- Target Terpenes
- Fine Tune Development

Spectrum Controls Growth





LIGHT SPECTRUM AND CHEMICAL EXPRESSION

A plant's chemical composition influences its color, flavor, aroma, and psychoactive effects. The Avici's programmable spectrum gives cultivators the power to fine tune development and unlock the plant's full genetic potential.

Target Chemical Expression

A programmable spectrum gives cultivators the tools to enhance chemical profiles for specific end uses.

CADARA I


Target Development

Strategically adjusting the spectrum can dramatically alter the way a plant looks, smells, and tastes, giving large scale cultivators craft level precision.



EASE OF WORKFLOW

Change seasons at the touch of a button



"Seed to harvest under one light."

Avici's seasonal presets and programmable spectrum area easily customized with Revolution's TouchMi controller for a more streamlined workflow.



ADAPTIVE FUTURE-PROOF SPECTRUM

Always Up to Date. Always Competitive.

Lighting is the most important investment in a cultivation facility; every reaction in the plant is driven by light.

As cultivation science improves, change your spectrum with the push of a button, rather than changing lamps.

Technological Flexibility



LONGEST LASTING

150,000 Hour Rated Life



How Do We Know?

We use OSRAM's diode specifications and NASA's soldering standards to calculate our rated life.



Reliable

The Avici Series has a 150,000 hour life, three times industry standard. Cultivators can trust in the superior reliability of a high rated life.



Higher ROI

Avici stays brighter for longer, growing more cannabis and continuing to pay for itself long after other fixtures need to be replaced.



360w 1,110 uMole

2 2 2 2 2 2 S

High output for maximum yield and development.

3.06 - 3.8 uMole/J Efficacy

Programmable Spectrum with high efficiency options.

Mother Light FeaturesImage: Solution of the sector of

M6





Limited Lifetime Warranty



CE Certified



FCC Part 15 B



CSA Certified



RoHS and RoHS2







Spectrum		Programmable
PPF	1110 uMole/sec dimmab	ole in 1% steps
Max Wattage		360w
Input Current	1.5A @ 240, 1.3A @ 277v, 1.0@ 34	7v, 0.75@ 480v
Input Voltage	240v, 277	'v, 347v or 480v
Power Factor	0	.99 @ 277 volts
Light Source	Osram OS	SLON LED array
Rated Life (LM90)	>	150,000 hours
Efficacy	3.0	6 - 3.8 uMole/J
Operating Temperatur	-e	35C
Fixture Temperature		55C
Ingress Rating		IP67
RMH (Recommended Mounted Height Above Canopy)		> 12"
Footprint @RMH		4' x 4'
Dimming / Spectrum (Control Exte	ernal Controller
Dimensions	45 x 45 x 2.5 inc	ches (~20 lbs)